

Company introduction

Dongguan Hanjun Plastic Product Co.,Ltd is a global company supplying many industries with power transmission and conveying components. The product offering ranges from roller chains, couplings and geared products to conveyor chains, belts and components. The **Hanjun FlatTop** division is manufacturing conveyor chains, belts and components.

Hanjun chains and belts are being used to convey a wide variety of products: bottles, cans, boxes, crates, tires, loose food, glass jars, PET containers, trays; shortly every transport in production halls in virtually any industry.



■ As the handling specialist in the field of conveying, the **Hanjun** product portfolio is providing solutions for complete lines in several industries in order to improve productivity.

■ In beverage industry palletizers, depalletizers, washers, labelers, fillers, pasteurizers, inliners, outfeeds, elevators and accumulation tables are equipped with slatband chains, curves, sprockets, belts, bearings, leveling elements and many more conveyor components.

■ For the container manufacturing industry special products and materials are available, such as abrasion resistant polyamide for glass plants, vacuum chains for can making and gripper chains for vertical transport.

■ A wide range of products is also offered for blanchers, cookers, washers, coolers and processing lines in fruit, vegetables, bakery, confectionary etc. And many more products are available for the handling of packed food.

■ In automotive industry the products are engineered to meet the most demanding applications, such as rubber processing and tire handling.

■ This is just a short selection of the applications in which **Hanjun** products are being used. Among others they have also found their way into pharmaceutical production lines, battery manufacture, paper and cardboard production.






The product line can be split up into:


- Chain guide componets
- Product handing components
- Frame support components
- Supporting and leveling elements
- Self-aligning bearings
- Miscellaneous components Line control




H174 Cross Clamp




d	Order Number
12	H174-12
14	H174-14
15	H174-15
16	H174-16
18	H174-18
20	H174-20




H340 Cross Clamp




d	B	Order Number
12	10	H340-12
12.7	10	H340-12.7




H341 Clamp for Photocells or Sensors




d	B	Order Number
12	10	H341-12




H339 T Clamp




d	B	Order Number
12	10	H339-12




H587 Cross Clamp Round Hole




H588 Cross Clamp Square Hole




H518 Control Contact Lever



H142 Support plate




H257 Plastic Adjustable Brackets




d	Order Number
12	H257-12
14	H257-14
16	H257-16

H107 Plastic Adjustable Brackets





d	Order Number
12	H107-12

H617 Plastic Adjustable Brackets




d	Order Number
16	H617-16

H193 Plastic Adjustable Brackets




H175 Internal Teeth Five-star Head Screws




Order Number	d	D	C	B	L
H175-M4	M4	25	18.2	9.3	18
H175-M6	M6	25	18.2	9.3	20
H175-M8	M8	30	18.2	9.3	24
H175-M10	M10	38	18.2	9.2	21.4

H176 External Teeth Five-star Head Screws




Order Number	d	D	L	I
H176-M6	M6	38	12、16、20、25、30、35、40、50、60	20.5
H176-M8	M8	38	12、16、20、25、30、35、40、50、60、70	20.5
H176-M10	M10	38	16、20、25、30、35、40、50、60、70、80、100	20.5

H177 Internal Teeth Seven-star Head Screws




Order Number	d	D
H177-M6	M6	32
H177-M8	M8	40
H177-M10	M10	50
H177-M12	M12	63

H178 External Teeth Seven-star Head Screws




Order Number	d	D	L	I
H178-M6*32	M6	32	10、20、25、30	23
H178-M8*40	M8	40	20、25、30、35、40	28
H178-M10*50	M10	50	25、30、35、40、50	33
H178-M12*63	M12	63	20、25、30、40、50	38

H182A Tightening Knob



M	Order Number
6	H182A-6
8	H182A-8
10	H182A-10

H185A Tightening Knob




M	L	Order Number
6	8	H185A-6×8
6	14	H185A-6×14
8	10	H185A-8×10
8	16	H185A-8×16
10	12	H185A-10×12
10	18	H185A-10×18

H183 Tightening Knob (with eyebolt)





M	Order Number
10	H183-10

H185 Tightening Knob




M	L	Order Number
10	12	H185-10×12
10	18	H185-10×18
12	14	H185-12×14
12	20	H185-12×20

H181 Turning Joint screw




L	Order Number
30	H181-M10*30
35	H181-M10*35
40	H181-M10*40
45	H181-M10*45

H255 Swivel Head




d	Order Number
12	H255-12
14	H255-14
16	H255-16

Assembly of part.255
Applicable to brackets part:193、
107、 257、 617




H256 Swivel Head




d	L	Order Number
12	48	H256-48-12
14	48	H256-48-14
16	48	H256-48-16


Assembly of part.256
Applicable to brackets part:193、
107、 257、 617 (in combination
with knob part183).




H159-12 The Round End Pipe Clamp



H437 Square End Pipe Clamp




H82-12 Round Guide Rail Clamp




dg	D	Order Number
12	12	H82-12A
12.7	12	H82-12.7A


H210 Square Guide Rail Clamp



H66 Round Guide Rail Clamp




H71 Double Round Guide Rail Clamp




D	Order Number
12	H71 - 12
16	H71 - 16

H71-2 Double Round Guide Rail Clamp




d	Order Number
12	H71- 2 - 12
16	H71 --2 - 16

H213 Double Guide Rail Clamp





H184 Guide-rail Clamp




Material :PA + SUS 304


**Plastic Assembled Brackets/Support Guides
(H183+H107+H71-1)**




**Plastic Assembled Brackets/Support Guides
(H183+H256+H193+H71-1)**



**Plastic Assembled Brackets/Support Guides
(H183+H256+H193+H210)**



**Plastic Assembled Brackets/Support Guides
(H183+H107+H82-12)**




Plastic Assembled Brackets/Support Guides (H183+H256+H193+H82-12)



Plastic Assembled Brackets/Support Guides (H183+H617+H71-2)




Plastic Assembled Brackets/Support Guides (H183+H617+H71-1)




Plastic Assembled Brackets/Support Guides(H183+H107+H71-2)



Plastic Assembled Brackets/Support Guides (H183+H256+H193+H71-2)




H302 Ratchet Handle Clamping




Code	d	A	B	C	E	H	Db	De
	mm	mm	mm	mm	mm	mm	mm	mm
H302	M6	40	40	7	12	29	11	16
	M8	55	51	9	14	36	14	20
	M10	79	67	11	20	48	20	28

H303 The Adjustable Handle




Code	D	A	B	C	L	H	Db	De
	mm	mm	mm	Mm	Mm	Mm	Mm	Mm
H303	M6	40	40	7	20	29	11	16
	M8	55	51	9	25	36	14	20
	M10	79	67	11	30	48	20	28


HJ0030-1 Shaft Sleeve Fixed for Square Hole




HJ0030-2 Shaft Sleeve Fixed for Square Hole



Code Number	DF(mm)	H(mm)	D(mm)
HJ0030-1	40*40	20	78
HJ0030-2	50*50	15	95
	60*60	15	110
Material:PA Black,screw is stainless steel.			





HJ0031 Shaft Sleeve Fixed for Round Hole





Code Number	d(mm)	D(mm)	M(mm)	H(mm)
HJ0031-20	20	40	M4	14
HJ0031-25	25	40	M4	14
HJ0031-30	30	45	M4	16
HJ0031-35	35	58	M5	16
HJ0031-40	40	63	M5	16
Material:PA Black,screw is stainless steel.				



H567 End Transfer Module(with lip)





H568 Centre Transfer Module




H569 End Transfer Module





H73 Roller




d	Order Number
12	H73-12
16	H73-16
18	H73-18
20	H73-20




H126 Distance Gear




d	Order Number
12	H126-12
16	H126-16
18	H126-18
20	H126-20





H125 Double roller





d	Order Number
16	H125-12
18	H125-18
20	H125-20




H556 Roller




d	Order Number
16	H556-16
18	H556-18
20	H556-20




H11 Roller




d	L	Order Number
20	82	H11-20*82




H388 Roller



df	Order Number
20	H388-20




H555 Guiding Flange for Part




df	Order Number
20	H555-20



H554 Roller




df	Order Number
20	H554-20




H280 Bearing Head for Tubes




H198 Bearing Head for Tubes





H199 Side Mounting Top Bracket for Tubes



H137 Connecting Joint for Tubes





H615 Plastic Tripod for Round Tube





d standard size:50.0mm ;can cut to minimum 63 mm

H618 Plastic Bipod Support Bases for Round Tube




d standard size:48.0mm ;can cut to 50mm

H619 Plastic Bipod Support Bases for Round Tube



d standard size:48.0mm ;can cut to 50mm


H224 Expansion Plug for Square Tubes



Order Number	Diam	Tubing outer dia	Thickness	load-bearing	Weight
H224-40-16	M16	□ 40	1.5	700	0.670
H224-50-16	M16	□ 50	2.0	1000	0.105
H224-50-20	M20				0.112



H180 Expansion Plug for Round Tubes




Order Number	Diam	Tubing outer dia	Thickness	load-bearing	Weight
H180-32-16	M16	○32	2.0	1000	0.082
H180-50-16	M16	○50			0.091



Bearing Block Series


HJ0100 Plastic Square Bearing Block



Material:PBT
Color:black 、 White、 Green

Order Number	d mm	L mm	J mm	K mm	A mm	D mm	B mm	S mm	P mm
HJ0100-204	20	86	63.5	13.4	27.8	11	31	12.7	16.3
HJ0100-205	25	95	70	14.3	28.5	11	34	14.3	17
HJ0100-206	30	107	83	14.3	31.5	11	38.1	15.9	19
HJ0100-207	35	118	92	15.5	34.5	13	42.9	17.5	21.5
HJ0100-208	40	130	102	17	36.5	14	49.2	19	23


HJ0101 Plastic Rhombus Bearing Block



Material:PBT
Color:black 、 White、 Green

Order Number	d mm	H mm	J mm	L mm	K mm	A mm	D mm	B mm	S mm	P mm
HJ0101-204	20	113	90	65	13.4	26.5	11	31	12.7	15
HJ0101-205	25	131	99	70	14.3	28	11	34	14.3	16.5
HJ0101-206	30	147	117	80	14.3	30.5	11	38.1	15.9	18
HJ0101-207	35	164	130	90	15.5	32	13	42.9	17.5	19
HJ0101-208	40	178	144	100	17	35	14	49.2	19	21.5


HJ0102 Stainless Steel Square Bearing Block



**Material: Austenitic Stainless Steel 、
Cast Iron、 Zinc Aluminum Alloy**

Order Number	d mm	L mm	J mm	K mm	A mm	D mm	B mm	S mm	P mm
HJ0102-204	20	86	64	11	25.5	12	31	12.7	15
HJ0102-205	25	95	70	13	27	12	34	14.3	16
HJ010--206	30	108	83	13	31	12	38.1	15.9	18
HJ0102-207	35	117	92	15	34	14	42.9	17.5	19
HJ0102-208	40	130	102	15	36	16	49.2	19	21

HJ0103 Stainless Steel Rhombus Bearing Block





**Material: Austenitic Stainless Steel 、
Cast Iron、 Zinc Aluminum Alloy**

Order Number	d mm	H mm	J mm	L mm	K mm	A mm	D mm	B mm	S mm	P mm
HJ0103-204	20	113	90	60	11	25.5	12	33.3	12.7	15
HJ0103-205	25	130	99	68	13	27	16	35.7	14.3	16
HJ0103-206	30	148	117	80	13	31	16	40.2	15.9	18
HJ0103-207	35	161	130	90	15	34	16	44.1	17.5	19
HJ0103-208	40	175	144	100	15	36	16	51.2	19	21

Bearing Caps



HJ0104 Bearing Close Caps



Material:PBT
Color:black 、 White、 Green

Order Number	D mm	H mm
HJ0104-204	50	23
HJ0104-205	55	25
HJ0104-206	64	30
HJ0104-207	74.5	32
HJ0104-208	84	37


HJ0105 Bearing Open Caps



Material:PBT
Color:black 、 White、 Green


Order Number	D mm	H mm	T mm
HJ0105-204	50	23	26
HJ0105-205	55	25	30
HJ0105-206	64	30	36
HJ0105-207	74.5	32	40
HJ0105-208	84	37	46

H96 Stainless Steel 304 Adjustable Foot




Type (D)	order number	(M) Dia.of screw(mm)	(L) Length of screw(mm)	Material of screw	Load-bearing
φ60	H96-M10*50	M10	50	Stainless Steel 304	1000kg
	H96-M10*80		80		
	H96-M10*100		100		
	H96-M12*50	M12	50		
	H96-M12*80		80		
	H96-M12*100		100		
	H96-M12*120		120		
	H96-M12*150		150		
	H96-M16*100	M16	100		
	H96-M16*150		150		
	H96-M20*150	M20	150		

H95 Stainless Steel 304 Adjustable Foot



Type (D)	order number	(M) Dia.of screw(mm)	(L) Length of screw(mm)	Material of screw	Load-bearing
φ80	H95-M10*50	M10	50	Stainless Steel 304	1000kg
	H95-M10*80		80		
	H95-M10*100		100		
	H95-M12*50	M12	50		
	H95-M12*80		80		
	H95-M12*100		100		
	H95-M12*120		120		
	H95-M12*150		150		
	H95-M16*100	M16	100		
	H95-M16*150		150		
	H95-M20*100	M20	100		
	H95-M20*150		150		


H97 Stainless Steel 304 Adjustable Foot



Type	order number	Dia.of screw(mm)	Length of screw(mm)	Material of screw	Load-bearing
φ80	H97-M12*50	M12	50	Stainless Steel 304	1000kg
	H97-M12*80		80		
	H97-M12*100		100		
	H97-M16*50	M16	50		
	H97-M16*80		80		
	H97-M16*100		100		
	H97-M16*150		150		
	H97-M16*200		200		
	H97-M20*100	M20	100		
	H97-M20*150		150		
	H97-M20*200		200		
	H97-M24*100	M24	100		
	H97-M24*150		150		
	H97-M24*200		200		


Articulated Adjustable Foot (Base in Nylon with Rubber Pad)

H98 Articulated Adjustable Foot




Type	Order Number	Dia. of Screw M (mm)	Length of Screw L (mm)	Material of Screw	Load-bearing
φ 60	H98-M10*50	M10	50	Carbon Steel Nickel Plated;Stainless Steel 201/304	1000kg
	H98-M10*80		80		
	H98-M10*100		100		
	H98-M12*50	M12	50		
	H98-M12*80		80		
	H98-M12*100		100		
	H98-M12*150	M14	150		
	H98-M14*80		80		
	H98-M14*100		100		
	H98-M16*50	M16	50		
	H98-M16*80		80		
	H98-M16*100		100		
	H98-M16*120		120		
	H98-M16*150		150		
	H98-M16*200		200		

H172 Articulated Adjustable Foot



Type	Order Number	Dia. of Screw M (mm)	Length of Screw L (mm)	Material of Screw	Load-bearing
φ 80	H172-M10*50	M10	50	Carbon Steel Nickel Plated;Stainless Steel 201/304	1000kg
	H172-M10*80		80		
	H172-M10*100		100		
	H172-M12*50	M12	50		
	H172-M12*80		80		
	H172-M12*100		100		
	H172-M12*150	M14	150		
	H172-M14*80		80		
	H172-M14*100		100		
	H172-M16*50	M16	50		
	H172-M16*80		80		
	H172-M16*100		100		
	H172-M16*120		120		
	H172-M16*150		150		
	H172-M16*200		200		


H133 Articulated Adjustable Foot



Type	Order Number	Dia. of Screw M (mm)	Length of Screw L (mm)	Material of Screw	Load-bearing
φ 100	H133-M14*80	M14	80	Carbon Steel Nickel Plated;Stainless Steel 201/304	1000kg
	H133-M14*100		100		
	H133-M16*50	M16	50		
	H133-M16*80		80		
	H133-M16*100		100		
	H133-M16*120		120		
	H133-M16*150		150		
	H133-M16*200		200		
	H133-M18*80	M18	80		
	H133-M18*100		100		
	H133-M20*100	M20	100		
	H133-M20*150		150		
	H133-M20*200		200		


Fixed Adjustable Foot (Base in Nylon with Rubber Pad)

H99 Fixed Adjustable Foot




Type	Order Number	Dia.of Screw M(mm)	Length of Screw L(mm)	Material of Screw	Load-bearing
Φ60	H99-M8*50	M8	50	Carbon Steel Nickel Plated ;Stainl ess Steel 201/304	1000KG
	H99-M8*80		80		
	H99-M10*50	M10	50		
	H99-M10*80		80		
	H99-M10*100		100		
	H99-M12*50	M12	50		
	H99-M12*80		80		
	H99-M12*100		100		
	H99-M12*150		150		
	H99-M16*100	M16	100		
	H99-M16*150		150		

H173 Fixed Adjustable Foot



Type	Order Number	Dia.of Screw M(mm)	Length of Screw L(mm)	Material of Screw	Load-bearing
Φ80	H173-M12*50	M12	50	Carbon Steel Nickel Plated ;Stainl ess Steel 201/304	1000KG
	H173-M12*80		80		
	H173-M12*100		100		
	H173-M12*150		150		
	H173-M16*100	M16	100		
	H173-M16*150		150		


H134 Fixed Adjustable Foot



Type	Order Number	Dia.of Screw M(mm)	Length of Screw L(mm)	Material of Screw	Load-bearing
Φ100	H134-M16*100	M16	100	Carbon Steel Nickel Plated ;Stainl ess Steel 201/304	1500KG
	H134-M16*150		150		
	H34-M16*200		200		
	H134-M20*100	M20	100		
	H134-M20*150		150		
	H134-M20*200		200		
	H134-M24*100	M24	100		
	H134-M24*150		150		
	H134-M24*200		200		
	H134-M24*250		250		


Articulated Adjustable Foot (Base in Nylon with Rubber Pad)

H323 Articulated Adjustable Foot



Type	Order Number	Dia. of Screw M (mm)	Length of Screw L (mm)	Material of Screw	Load-bearing
Φ 80	H323-M10*50	M10	50	Carbon Steel Nickel Plated;Stainless Steel 201/304	300-500kg
	H323-M10*80		80		
	H323-M10*100		100		
	H323-M12*50	M12	50		
	H323-M12*80		80		
	H323-M12*100		100		
	H323-M12*150		150		


H212 T bolt clamp with tightening knob




HU212 V bolt clamp with tightening knob




H3633 Hinge




H3634 Hinge



H3635 Hinge




H218 Hinge




Material and color :Zinc alloy matte black


H121 Enclosure Handles,Components





H122 Enclosure Handles,Components





H59 Lock




H338 Mounting Plate



H336 Modular Nose - Over Bar




H L180 Drip Tray Support




Order Number	Length (Lmm)	Material
H L 180	180	SUS304

H L250 Drip Tray Support




Order Number	Length (Lmm)	Material
H L 250	250	SUS304

H L280 Drip Tray Support




Order Number	Length (Lmm)	Material
H L 280	280	SUS304

H L180-13 Drip Tray Support




Order Number	Length (Lmm)	Material
H L 180-13	280	SUS304

H L 250 -13 Drip Tray Support




Order Number	Length (Lmm)	Material
H L250-13	250	SUS304

H L280-13 Drip Tray Support




Order Number	Length (Lmm)	Material
H L 280-13	280	SUS304

H L180-27 Drip Tray Support




Order Number	Length (Lmm)	Material
H L 180-27	280	SUS304

H L 250 -27 Drip Tray Support



Order Number	Length (Lmm)	Material
H L250-27	250	SUS304

H L280-27 Drip Tray Support




Order Number	Length (Lmm)	Material
H L 280-27	280	SUS304


H J1015-A Stainless Steel Support




H L70x70 Stainless Steel Side Bracket




Order Number	Length (Lmm)	Material
H L 70*70*3	70*70	SUS304




HJ0200 Stainless Steel Side Bracke





HJ0221 Stainless Steel Side Bracket





HJ0222 Stainless Steel Side Bracket




HJ0203 Stainless Steel Side Bracke








HJ0806 Stainless Steel Side Bracket



HJ0807 Stainless Steel Side Bracket



A metal bracket with a curved top and two circular holes at the bottom.




Stainless Steel System Support Component




The transmission device support component is composed of a stainless steel tube, a connecting plate connecting the beam body and a beam support frame.

Two-point or three-point reinforced nylon brackets with connectors can be provided for the transmission device support of all system widths. The bracket device has threaded bushes and non-slip joint feet with adjustable height. In addition to increasing friction, it can also reduce vibration. First select the appropriate joint foot length to achieve height adjustment of 30-100.


Stainless Steel Foot




Stainless Steel Bracket



ZLCTX63




ZMCTX83




ZHCTX103

Metal Side Bracke


H65-64



H105/85-80





H65-64





Metal Side Bracke



H85-804



H105-80




H142-80




Right Angle Bracke


H40-40



H60-60



H80-80





Dongguan Hanjun Plastic Product Co.,Ltd

Attn:Fiona guo

Tel:+86 0769-83287582

Mobile: +86-188 2550 3509

Fax: +86-0769-83287582

Skype:+86-188 2550 3509

WhatsApp/WeChat:+86-+86-188 2550 3509

E-mail: Fionaguo@dghanjun.com

Alibaba Website www.dghanjun.en.alibaba.com

Website: www.dghanjun.com

Add:No.18, Fuxi Six Lane, Liaobu Town, Dongguan City, Guangdong Province, China

Postcode:523402